



11333 N. Cedarburg Road
Mequon, WI 53092
Phone: 262-242-3500
Fax: 262-242-7655

www.ci.mequon.wi.us

Police and Fire Departments

PUBLIC SAFETY COMMITTEE

Tuesday, November 9, 2021

5:30 PM

Lower Conference Room

Agenda

1) Call to Order and Roll Call

2) Approve Meeting Minutes

Action requested: review and approve

a. Public Safety Committee - Regular Meeting - Sep 14, 2021 5:00 PM

3) Ordinances

Action requested: review and recommend approval

a. **ORDINANCE 2021-1612** An Ordinance Amending Section 2-803 of the Mequon Municipal Code Relating to the Term of Office for the Municipal Court Judge

4) Discussion

a. Traffic Speed Analysis on Green Bay Road at Woods Court

b. I-43 Project Safety Concerns

5) Adjourn

Dated: November 9, 2021

/s/ Andrew Nerbun, Chair

Notice is hereby given that a quorum of other governmental bodies may be present at this meeting to present, discuss and/or gather information about a subject over which they have decision-making responsibility, although they will not take formal action thereto at this meeting.

Persons with disabilities requiring accommodations for attendance at this meeting should contact the City Clerk's Office at 262-236-2914, twenty-four (24) hours in advance of the meeting.

Any questions regarding this agenda may be directed to the Public Safety Office at 262-242-3500, Monday through Friday, 8:00 AM – 4:30 PM



See Agenda Packet for
Login and Complete Packet Details
Mequon, WI 53092
Phone: 262-242-3500
Fax: 262-242-7655

www.ci.mequon.wi.us

Police and Fire Departments

PUBLIC SAFETY COMMITTEE

Tuesday, September 14, 2021

5:00 PM

Virtual Meeting

Minutes

1) Call to Order and Roll Call

Present:

Chair Andrew Nerbun

Alderman Dale Mayr

Alderman Mark Gierl -- **Absent**

Also Present: Police Chief Pryor, City Attorney Brian Sajdak, and Administrative Coordinator Melina Bowen.

2) Approve Meeting Minutes

- a. Public Safety August 10, 2021 Minutes

RESULT: **Approved by Voice Acclamation [Unanimous]**

MOVED BY: Alderman Mayr

SECONDED BY: Alderman Nerbun

AYES: Nerbun, Mayr

ABSENT: Gierl

3) Resolutions

Action requested: review and recommend approval

- a. **RESOLUTION 3880** A Resolution Adopting an Updated Mid-Moraine Municipal Court Bond Schedule for City Ordinance Citations

RESULT: **Approved by Voice Acclamation [Unanimous]**

MOVED BY: Alderman Mayr

SECONDED BY: Alderman Nerbun

AYES: Nerbun, Mayr

ABSENT: Gierl

4) Discussion

- a. Intersection Improvement Updates and Accident Information for the intersection of W. Freistadt Road (CTH F) and N. Wasaukee Road(CTH M).

The Committee discussed the future updates to the intersection of North Wasaukee Road and West Freistadt Road. Washington County is planning to reconstruct the intersection in 2022, including installing a four way stop.

Minutes Acceptance: Minutes of Sep 14, 2021 5:00 PM (Approve Meeting Minutes)

After the Intersection Improvement discussion, Alderman Mayr advised that he had spoken with residents of the Woods at Highland Park subdivision who had requested that the 25 mile per hour speed limit be extended north of the subdivision entrance.

Alderman Mayr discussed the lack of a sidewalk or bike path extending from the intersection of West Mequon Road and North Wauwatosa Road to North Vega Avenue. Alderman Mayr advised that he would address the concern with the Public Works Committee.

Alderman Nerbun inquired about a communication plan to push information out to residents regarding the I-43 constructions plans. Chief Pryor advised that attempts were going to be made to keep the City's website updated with links to the DOT for construction information.

5) Adjourn

- a. Motion to adjourn the meeting at 5:15 PM.

RESULT: **Approved by Voice Acclamation [Unanimous]**

MOVED BY: Alderman Mayr

SECONDED BY: Alderman Nerbun

AYES: Nerbun, Mayr

ABSENT: Gierl

Respectfully Submitted,

Melina Bowen

Minutes Acceptance: Minutes of Sep 14, 2021 5:00 PM (Approve Meeting Minutes)



11333 N. Cedarburg Road
Mequon, WI 53092-1930
Phone: 262-242-3100
Fax: 262-242-9655

www.ci.mequon.wi.us

Office of City Attorney

TO: Public Safety Committee
FROM: Brian Sajdak, City Attorney
DATE: October 20, 2021
SUBJECT: ORDINANCE 2021-1612 An Ordinance Amending Section 2-803 of the Mequon Municipal Code Relating to the Term of Office for the Municipal Court Judge

Background

When the City joined the Mid-Moraine municipal court system, Wis. Stat. § 755.02 set the default term of office for the municipal court judge at two years. As part of a review of the statutes governing municipal courts in Wisconsin, the legislature amended that section to make the default term of office for the municipal court judge four years. During the recent review of the city's bond schedule, it was identified that the City's code had not been updated to reflect the change in the statute.

Analysis

The proposed ordinance makes the City's code consistent with the statute and with the provisions of the codes in other member communities in the Mid-Moraine court system.

Fiscal Impact

None

Recommendation

Forthcoming from the Public Safety Committee on November 9, 2021.

COMMON COUNCIL
OF THE
CITY OF MEQUON

ORDINANCE 2021-1612

An Ordinance Amending Section 2-803 of the Mequon Municipal Code Relating to the Term of
Office for the Municipal Court Judge

RECITALS

A. The Common Council previously adopted section 2-803 of the Mequon Municipal Code which establishes the eligibility for, and the term of office of, the office of municipal court judge.

B. Section 755.02 of the Wisconsin Statutes was amended to change the default term of office for municipal court judge from two to four years.

C. The Common Council wishes to update section 2-803 of the municipal code to ensure that it is compliance with state law.

BASED UPON THE FOREGOING RECITALS, the Common Council of the City of Mequon, Wisconsin, do Ordain as follows:

SECTION I

Section 2-803(a) of the Mequon Municipal Code is amended to read as follows (NOTE: Deleted text is ~~struck through~~; Added text is **bolded and underlined**):

Sec. 2-803. - Municipal court judge; operation.

(a) The municipal court shall be under the jurisdiction of and presided over by a municipal judge, who shall be an attorney licensed to practice law in Wisconsin and who resides in any of the member municipalities as defined in the agreement. The judge shall be elected at large within the member communities in the spring election for a term of ~~two~~**four** years commencing on May 1 of the year of his election. The governing bodies of the member municipalities shall provide for a primary election in the event that more than two candidates file nomination papers for the position of municipal judge.

SECTION II

The terms and provisions of this ordinance are severable. Should any term or provision of this ordinance be found to be invalid by a court of competent jurisdiction, the remaining terms and provisions shall remain in full force and effect.

SECTION III

All ordinances and parts of ordinances in contravention to this ordinance are hereby repealed.

SECTION IV

This Ordinance shall become effective the day after its publication as provided by law.

Approved by: John Wirth, Mayor

Date Approved: November 9, 2021

I certify that the foregoing Ordinance was adopted by the Common Council of the City of Mequon, Wisconsin, at a meeting held on November 9, 2021.

Caroline Fochs, City Clerk

Published: _____



11333 N. Cedarburg Road
Mequon, WI 53092-1930
Phone: 262-236-2913
Fax: 262-242-9655

www.ci.mequon.wi.us

Office of Public Safety Committee

TO: Public Safety Committee
FROM: Patrick Pryor, Chief of Police
DATE: October 26, 2021
SUBJECT: Traffic Speed Analysis on Green Bay Road at Woods Court

Background

Alderman Mayr requested that the posted speed limit on N. Green Bay Road near the new road W. Woods Court be examined to determine if the 25MPH limit should be extended further north than the Village of Thiensville limits. The first posted 35MPH sign is at Woods Court, however the current Mequon City Ordinance starts the 35MPH zone at the Village limits.

Analysis

The Police Department examined the crash data in this area for the last 10 years. The department found there were no crashes in this stretch of roadway during this timeframe. The nearest crash was on N. Green Bay Road near the park, just south of the intersection of N. Green Bay Road and W. Highland Road.

The Department of Public Works and Engineering for the City of Mequon, deployed traffic cables in the area to determine traffic patterns and speeds. The results and associated memo for this deployment is attached for review.

Recommendation

Although this is just a discussion item, the data would suggest that the speed limit for this area appears to be consistent with the Wisconsin Department of Transportation information. No changes appear to be necessary in this area.

Attachments:
20211022 Green Bay Road Speed Analysis (PDF)



11333 N. Cedarburg Rd 60W
Mequon, WI 53092-1930
Phone (262) 236-2932
Fax (262) 242-9655

www.ci.mequon.wi.us

ENGINEERING/PUBLIC WORKS

To: Patrick Pryor, Mequon Police Chief
From: Cole McCraw, Assistant City Engineer
Date: October 22, 2021
Subject: Green Bay Road Traffic Counts and Speeds

Background:

At the request of the Police Chief, Patrick Pryor, the Engineering Department measured the speed and volume of traffic on Green Bay Road using traffic counters. The counters were placed approximately:

Counter 1: 370 feet north of the Woods at Highland Park entrance and approximately 800 feet north of the Thiensville Village limit. The counter was placed adjacent to a 35-mph speed limit sign.

Counter 2: 420 feet south of the Woods at Highland Park entrance and at the NW quadrant of Green Bay Road and Lake Bluff Road. The counter was placed adjacent to a 25-mph speed limit sign. This intersection is approximately the Thiensville Village limit.

Alderman have requested an evaluation of speeds on the subject roadway. The traffic counters were deployed from Friday, September 24th, through Friday, October 8th, 2021. Green Bay Road currently has posted speed limits of 35 mph and 25 mph at these locations.

Analysis:

There were approximately 39,660 vehicles counted during the two weeks of traffic counts on Green Bay Road, which correlates to an average daily traffic (ADT) value of 2,833. The class-speed matrix and vehicle counts from the traffic counters are attached to this report.

The average speed calculated from Counter 1 was 38.4 mph. The 85th percentile speed was 42.7 mph.

The calculate average speed calculated from Counter 2 was 30.8 mph. The 85th percentile speed was between 35 mph and 40 mph. This software for this counter is unable to calculate percentile speeds, so it was estimated based on counted vehicles in speed ranges. The calculated 85th percentile speed was approximately 37 mph.

Attachment: 20211022 Green Bay Road Speed Analysis (6793 : Traffic Speed Analysis on Green Bay Road at Woods Court)

Below is a tabular summary of the results:

	Counter 1 (800' N of Village limit)	Counter 2 (Village limit)
Total Vehicles Traveled (Over a 2-week period)	39,591	39,728
Average Speed	38.4 MPH	30.8 MPH
85th % Speed	40-45 MPH	35-40 MPH
Posted Speed	35 MPH	25 MPH

Recommendation:


The intent of this memo is not to provide a recommendation regarding a change in speed limit but to provide information regarding the current traffic volumes and speed. General engineering practice requires that a speed is posted within 5 MPH of the 85th percentile speed of free-flowing traffic. Lowering the speed limit below this threshold can promote speeding on roadways and can also promote a false sense of security among residents and pedestrians who may expect that posting lower limits will change driver behavior as explained in the WisDOT Wisconsin Transportation Bulletin No. 21 (attached). Other factors to be considered when determining the posted speed of a roadway are roadway characteristics, pace speed, development, parking practices, and crash history.



Cole McCraw
Assistant City Engineer

Attachments:

Traffic Count Reports
WisDOT Wisconsin Transportation Bulletin No. 21



Setting Speed Limits on Local Roads

Speed limits are an important tool for promoting safety on streets and highways. Limits tell drivers what is the reasonable speed for a road section. They also help traffic enforcement by setting standards for what is an unsafe speed.

The state sets speed limits for all roads. However, municipalities can change speed limits for roads under their authority, following guidelines in the *Wisconsin Statutes*. Selecting the appropriate speed limit can be a challenge because people often disagree. Residents frequently seek lower speeds, especially after a serious crash. Drivers tend to choose speeds that seem reasonable for the physical environment and that satisfy their personal needs, like saving time or seeking enjoyment.

Local officials have a key role in setting limits. They must balance the competing concerns and opinions of drivers, residents and law enforcement agencies with statutory requirements and traffic safety.

This booklet is designed to help. It includes background information and research recommendations, summarizes statutory limits, describes the process for changing limits, and discusses signs, enforcement, advisory speeds, and other speed issues on local roads. This edition reflects updates from the *2009 Wisconsin Statewide Speed Management Guidelines*.

Background

Speed-related vehicle accidents in Wisconsin from 2004 to 2008 accounted for 38% of all fatalities, 30% of all injuries and 27% of all crashes.

High speeds contribute to the severity of crashes. For example, 85% of pedestrians struck by vehicles traveling 40 mph are likely to be killed while only 5% are likely to be killed when the speed is 20 mph.

Common sense says that regulating speed is a good way to make streets and highways safer. As a result, citizens may demand lower speeds, especially if there has been a severe crash or a frightening “near miss.”



However, driving behavior is not so easy to manage. A 1997 federal speed study shows that simply lowering speed limits has little effect on actual speeds, usually reducing speeds by only one-to-two miles per hour. The difference in speeds between vehicles traveling on the same road—a common cause of crashes—usually increases when speed limits are unreasonably low, making roadways less safe. Drivers generally choose their speed based on what they think is safe and reasonable for the conditions present. An unreasonable posted speed gets little consideration from drivers.

An alternative for managing vehicle speeds is called “traffic calming.” This emphasizes physical changes to local streets—such as making them appear narrower or more restricted, adding speed bumps or traffic circles—so drivers consistently and voluntarily choose lower speeds that are both safe and comfortable.

Philosophy

Prevailing speed—the one most drivers choose—is a major consideration in setting speed limits. Engineers recommend setting limits at the 85th percentile speed, where 85% of freely flowing traffic travels at or below

that speed under ideal road conditions. The 85th percentile method is considered the best way to represent what is “reasonable” and “proper” as perceived by the motorists. When 85% of drivers voluntarily comply with speed limits, it is possible and reasonable to enforce these limits.

A recent study on Wisconsin roads compared crashes on roads with reasonable speed limits, or those accepted by the majority of drivers, with roads displaying posted speed limits considered unreasonable or irrational. The study showed that roads with reasonable speed limits had four times fewer crashes than roads with unreasonable speed limits. Other studies indicate the lowest risk of being in a crash occurs when a motorist travels at or near the 85th percentile speed. They also show that the 15% of motorists who exceed this limit cause many of the roadway crashes. These motorists are the most effective targets for enforcement.

Research in this area emphasizes considering the road’s design speed in setting speed limits. Design speed is the highest safe speed for which the road was designed. It takes into account road type, road geometry and adjacent land use. Studies show that accident rates go down when speed limits are no less than 10 mph of the design speed. When the speed difference is

greater, motorists choose a wider variety of speeds. This variance in speed between vehicles, more than the speed itself, results in higher crash rates.

However, pedestrians, bicyclists and other road users may find the prevailing speed and design speed hazardous. Modern roads often are over-designed, particularly in residential areas where they emphasize the accommodation of functions like emergency vehicles or street parking. The resulting wide and unobstructed roads can encourage drivers to travel too fast for the safety of other road users. Simply setting lower speed limits is unlikely to produce the desired results, especially without effective enforcement. In these cases, authorities may wish to consider using some traffic calming techniques.

Speeds should be consistent, safe, reasonable and enforceable. When 85% of drivers voluntarily comply with speed limits, it is possible and reasonable to enforce the limits with the 15% who drive too fast. Unreasonably low limits can promote disrespect for and disregard of other reasonable posted limits. They also promote a false sense of security among residents and pedestrians who may expect that posting lower limits will change driver behavior. Unreasonably high limits create unnecessary risks.

Speed limits and authority to change

Fixed Limits – Statute 346.57(4) ^(a)	Local Government Authority ^(b) – Statute 349.11(3) and (7) ^(a)
65 mph Freeway/Expressway	WisDOT only
55 mph State Trunk Highways (STHs)	WisDOT only
55 mph County Trunk Highways (CTHs), town roads	Lower speed limit by 10 mph or less
45 mph Rustic roads	Lower speed limit by 15 mph or less
35 mph Town road (1,000 ft min) with buildings on either side spaced an average of less than 150 ft apart	Lower speed limit by 10 mph or less
25 mph Inside corporate limits of city or village (other than outlying district)	Raise speed limit to 55 mph or less / Lower the speed limit by 10 mph or less
35 mph Outlying district ^(c) within city or village limits	Raise speed limit to 55 mph or less / Lower the speed limit by 10 mph or less
35 mph Semi-urban district ^(d) outside corporate limits of a city or village	Raise speed limit to 55 mph or less / Lower the speed limit by 10 mph or less
15 mph School zone, when conditions are met	Raise speed limit to that of the roadway / Lower speed limit by 10 mph or less
15 mph School crossing, when conditions are met	Raise speed limit to that of adjacent street / Lower speed limit by 10 mph or less
15 mph Pedestrian safety zone with public transit vehicle stopped	No changes permitted
15 mph Alley	Lower by 10 mph or less
15 mph Street or town road adjacent to a public park	Lower by 10 mph or less
Construction or maintenance zones, as appropriate ^(e)	State and local agencies have authority to establish
Notes: (a) Source: Updated 2007-2008 Wisconsin Statutes Database (b) All speed limit changes shall be based on a traffic engineering study, including modifications allowed under State Statute. Local governments can implement speed limit changes on the local road system without WisDOT approval when proposals are within the constraints identified above. (c) Per Statute 346.57(1)(ar) “outlying district” is an area contiguous to any highway within the corporate limits of a city or village where, on each side of the highway within 1,000 feet, buildings are spaced on average more than 200 feet apart. (d) Per Statute 346.57(1)(b) “semiurban district” is an area contiguous to any State or County highway where, on either or both sides of the highway within 1,000 feet, buildings are spaced on average less than 200 feet apart. (e) Guidance on establishing speed limits in work zones is available in http://dotnet/dtid_bho/extranet/manuals/tgm/13/13-05-06.pdf .	

Modified from original published in WisDOT Traffic Guidelines Manual, Chapter 13-5-1, Figure 1, June 2009.



Authority

Power to set speed limits rests with the state. Chapter 346.57 *Speed Restrictions* of the *Wisconsin Statutes* requires drivers to use a speed that is “reasonable and prudent,” to exercise “due care,” [346.57(2)] and to reduce speed under a variety of conditions such as “going around a curve...passing school children, highway construction or maintenance workers...and when special hazard exists...” [346.57(3)].

The *Statutes* give fixed limits for more than a dozen situations depending on the road type, jurisdiction and land use [346.57 (4) (a-k)]. See Table on page 2.

Local or state officials have authority to change these limits within the limitations in Chapter 349.11, as summarized in the Table. They must conduct an engineering and traffic investigation to determine a reasonable and safe speed limit. The limit must then be legally adopted by the local authority and appropriate signs erected. When properly changed, such limits do not create additional liability. In addition, changes beyond those specified in the statutes are possible in consultation with and approval by the Wisconsin Department of Transportation (WisDOT).

All limits, whether set by statute or local authority, are only effective and enforceable when official signs have been erected to give drivers adequate warning.

Speeds also may be temporarily reduced in work zones where highways are being constructed, reconstructed, maintained or repaired [Ch.349.11(10)]. These changes must be properly posted and are not restricted by the other limitations in Chapter 349.11. A Transportation Information Center publication, *Work Zone Safety: Guidelines for Construction, Maintenance and Utility Operations*, describes correct work zone signing and set up.

The local agency that maintains the roadway has jurisdiction for determining the speed limit. In most cases the responsibility is clear. If a roadway segment has joint jurisdiction, such as a road that borders two cities, then both agencies must agree on the speed limit. Obviously, the speed must be the same in both directions. In cases where the county or state maintains a road within the corporate limits of a city or village, the county or state is responsible for setting the speed limit. Coordination with local officials and law enforcement agencies is essential to set effective speed limits.

Required studies

Local authorities are required by the statutes to conduct engineering and traffic speed studies to modify all speed limits on local roads including those shown in the Table on the previous page. Engineering studies should include the following:

- 1) Measure and determine the 85th percentile speed, 50th percentile speed, design speed and pace speed.
- 2) Evaluate crash data for the past three to five years.
- 3) Document roadside development including land use, driveway locations, and school locations.
- 4) Document roadway geometrics including lane widths, shoulder width, sight distance limitations at hills, curves and intersections, plus parking, pedestrian and bicycle activity.
- 5) Determine the functional classification of the roadway and the practical function of the road within the state and local system.
- 6) Document the current speed limit and level of enforcement.

A well-done traffic and engineering speed study requires a comprehensive effort by a trained professional. Look for additional details in the 2009 *Wisconsin Statewide Speed Management Guidelines* report. Contact local law enforcement, County Traffic Safety Commissions, the WisDOT and consultants for assistance in conducting speed studies.

Doing a speed study is time consuming but it is a necessary step for local agencies to legally modify speed limits. The effort also has the advantage of creating consistency in how **enforceable** speed limits are set across the state and increasing safety.

Speed zone recommendations

Local road authorities can initiate action to modify a speed limit and create a new speed zone on a local road. Citizens or other agencies also can request a change. Requests should be in writing and submitted to the local authority. The local agency should prepare a written response to the request describing their action and recommendations.

Speed study recommendations for modifying a speed zone should accomplish the following:

- Reduce the speed differential of vehicles
- Be reasonable so a majority of motorists will comply
- Reflect traffic engineering guidelines

When making speed zone changes, **do not** base the decision on these reasons:

- Noise complaints
- Accommodate specialty vehicles
- Correct spot safety problems
- Future concerns that have not yet occurred

Recommendations from a speed study generally fall within 5 mph of the 85th percentile speed. Factors that can alter this guideline include road function, access density, road geometry, parking, and pedestrian and bicycle activity. Using these secondary factors to

determine a recommended speed may require more law enforcement and result in increased crashes. Consider changing the road's physical environment to lower speeds where possible.

Speed zones should be at least 0.3 miles in length. Limit the number of speed limit changes along a route. Generally, it is advisable to change speed zones outside incorporated limits in 10 mph increments.

Submit speed limit changes that require WisDOT approval to a WisDOT Regional office. Changes outside the limitations outlined in Chapter 349.11 require department approval. Local governments take on liability when they make changes outside the outlined limitations without this approval.

Post speed limit changes as soon as possible using flags or other means to call attention to the change. Monitor speed limit changes once they are made to identify any problems or need for further investigation.

Proper signage



A speed limit is not in effect until the area has been properly signed. Conversely, signs must not be installed until the limit has been approved and officially authorized. The *Manual on Uniform Traffic Control Devices (MUTCD)* governs signs. Two types may be used: one for passenger cars and another for special limits for trucks and buses.

No more than three speed limits should be displayed on any one speed limit sign or assembly. Signs with special limits for trucks or other vehicles should include the word TRUCKS or a similar appropriate message. Display this below the standard message or on a separate plate that refers to SPEED or MPH.

The standard speed limit sign must be 24 by 30 inches. Locate signs at:

- Each point where the speed limit changes
- Beyond major intersections
- Other locations where it is necessary to remind motorists of the limit



REDUCED SPEED AHEAD SIGNS also may be used to give advance warning of a lower speed zone. This sign should be used in rural areas to alert motorists when they need extra time to slow to the posted limit.

Always follow it with a speed limit sign at the beginning of the new zone. Near schools, use the appropriate SPEED LIMIT sign after a school zone rather than the END OF SCHOOL ZONE sign.



Enforcement

Enforcement is critical. Without it, speed limits are not effective. When enforcement is increased considerably, violations and crashes have been reduced.

Local officials should actively involve enforcement personnel in setting speed limits to ensure they are reasonably enforceable. Always inform enforcement agencies when changes are adopted.

Enforcement requires wide public support. A first step is to ensure that the public perceives the speed limits as reasonable and fair because the voluntary cooperation of most drivers is essential. A second step is vigorous public information and education that stresses the safety benefits of enforcement. Make this a cooperative effort between highway and enforcement officials. Any information campaign should target specific aspects of the speeding problem such as young drivers, nighttime, school zones, work zones, or specific roads where potential traffic and pedestrian conflicts are high.

Within law enforcement agencies, traffic enforcement does not compete well with criminal and drug enforcement. That means local highway officials must actively seek adequate agency enforcement. These efforts are most effective when the safety benefits are clear and there is strong support from local elected officials.

Aggressive, targeted enforcement, combined with education, effectively produces better public compliance with traffic laws. The Federal Highway Administration recommends targeting enforcement programs to locations with a high incidence of crashes where speed was a contributing factor and to areas with high traffic volume.

Long-term, low-intensity speed enforcement can produce meaningful results. Studies indicate some amount of the enforcement effort (15% is recommended) be directed to random locations and times. Stationary, marked patrol vehicles are most effective in creating longer-term enforcement benefits.



Minimum speed limits and slow moving vehicles

Except on Interstate highways, there is no specific minimum speed on Wisconsin highways. However, statutes prohibit driving a motor vehicle "at a speed so slow as to impede the normal and reasonable movement of traffic, except when necessary for safe operation or to comply with the law." [Section 346.59 Wis. Stats.]

Vehicles that normally travel slower than 25 mph must display slow moving vehicle emblems. [Section 347.245 Wis. Stats.] In addition, the operator of a vehicle moving so slowly it impedes traffic must yield the roadway to overtaking vehicles, if practicable, when the operator of an overtaking vehicle gives an audible warning. [Section 346.59(2) Wis. Stats.]

Advisory speed signs

Advisory speed signs are used to tell drivers that a lower speed may be necessary at curves, turns, intersections and other localized conditions. These signs add emphasis and specific information to other warning signs, and recommend a comfortable and safe speed to drive in these locations. Do not confuse advisory speeds with enforceable speed limits. Advisory speeds do not imply the maximum operating speed at which skid and rollover occurs.




The advisory speed must be determined by an accepted traffic engineering procedure but no ordinance is required. Maintenance or sign supervisors can erect the signs. They must be in accordance with guidelines in the *MUTCD*, 2C-35.

As with other traffic signs, advisory speeds should be consistent and reasonable to promote driver respect and compliance. This is not always the case. Research published by the national Transportation Research Board (TRB) found that on the

two-lane highways in the study, posted advisory speeds at most curves were well below prevailing traffic speed, and below speeds established using recommended devices and criteria.

Advisory speeds are set based on average curve speeds for different angles of deflection. One device widely used for establishing advisory speeds on curves is the ball bank indicator. Relatively inexpensive, this curved level is mounted in an engineer's car. The engineer makes successive trial runs through a curve, taking care to drive parallel to the centerline of the curve, increasing speed by 5 mph each time. The indicator shows the angle of deflection in degrees.



The TRB study reports that the generally accepted criteria, based on tests conducted in the 1930s, produce unrealistically low speeds with modern cars and should be revised upwards. The authors say ball bank readings of 12 degrees above 40 mph, 16 degrees between 30 and 40, and 20 degrees below 30 would better reflect average curve speeds.

Ball bank readings tend to fluctuate rather widely during a trial run and can be affected by loose-surfaced roads and vehicle suspension systems. As a result, setting a recommended speed depends to a significant extent on the judgment and experience of the person making the tests. The recommended speed should feel comfortable for the average driver and be lower than the maximum safe speed. It should also be sensible in comparison with prevailing speeds.

Summary

Establishing and enforcing reasonable and safe speed limits is the responsibility of local officials. This often includes balancing conflicting issues of safety, traffic movement, and community concerns.

Coordination with local law enforcement is vital to effective speed control. Most speed zones should encourage voluntary compliance by using reasonable speed limits. Traffic calming techniques that involve physical and perceptual changes also can help. Consulting enforcement officials when determining effective limits is important and they can help work with the community in difficult areas.

The traffic engineering staff of WisDOT also is a good resource. Since they participate on county Traffic Safety Commissions, this is an easy way to contact them for assistance.

Several sample speed limit ordinances are shown on page 6.

SPEED
LIMIT
50

SPEED
ZONE
AHEAD

REDUCED
SPEED
AHEAD

REDUCED
SPEED
30

"Badger County" traffic ordinance

SPEED LIMITS. (1) The provision of sections 346.57 & 346.59 of the Wisconsin Statutes, relating to the maximum and minimum speed of vehicles, are hereby adopted as part of this section as is fully set forth herein, except as specified by section 2 of this ordinance, pursuant to section 349.11(3)(c) of the Wisconsin Statutes. (2) No vehicle shall exceed noted speed limits on the following county trunk highways:

- (a) County Trunk Highway "A"
 - (1) **Unincorporated Village of Estesville, Town of Terry.** Thirty-five miles per hour from its junction with STH 78, in Estesville, southwesterly 0.35 miles.
 - (2) **City of Covington, Town of York.** Thirty-five miles per hour from its intersection with CTH "N" (Veterans Drive), easterly to a point 0.15 miles east of its intersection with Race Track Road.
- (b) County Trunk Highway "AB"
 - (1) **Town of Finis.** Thirty miles per hour from the bridge over the Yahara River located on a line common to sections 13 and 14, Town of Finis, southwesterly to USH 51.
 - (2) **Chestnut Road, City of Centerton.** Thirty miles per hour from the intersection of USH 51, easterly to Droster Road.

Sample municipal ordinance

Section 3. **SPEED LIMITS.** [Towns, Cities, and Villages]
The _____ [Council or Village Board] hereby determines that the statutory speed limits on the following streets or portions thereof are unreasonable, unsafe and imprudent and modifies such speed limits as follows:

- (1) **SPEED LIMITS INCREASED.** Speed limits are increased as follows upon the following designated streets or portions thereof:
 - (a) **Outlying Districts**
45 miles per hour on _____ Avenue between _____ Street and the _____ [City or Village] limits;
- (2) **SPEED LIMITS DECREASED.** With the approval of the Wisconsin Department of Transportation, the speed limits are decreased as hereinafter set forth upon the following highways or portions thereof:
 - (a) **Semi-Urban Districts**
25 miles per hour on _____ Road between County Trunk _____ and the _____ [City or Village] Limits;
30 miles per hour on _____ Road between County Trunk _____ and the limits

Sample amendment to a speed ordinance

AMENDING CHAPTER 1 OF THE BADGER COUNTY CODE OF ORDINANCES SPEED LIMIT CHANGES

The County Board of Supervisors of the County of Badger does ordain as follows:

ARTICLE 1. Unless otherwise expressly stated herein, all references to section and chapter numbers are to those of the Badger County Code of Ordinances.

ARTICLE 2. Section(2)(b)(2) is created to read as follows:

- 1) Chestnut Road, City of Centerton. Twenty-five miles per hour from its intersection with USH 51 to its intersection with Winona Drive.

Sample speed limit ordinances Local boards of elected officials must adopt speed limits in ordinance form. Here are sample ordinances for county and municipal governments. Local ordinances also may include details on forfeitures and law enforcement authority. The ordinance should be reviewed by the agency's attorney.

References

Wisconsin Statewide Speed Management Guidelines, WisDOT, June 2009

Speed Management Safety, FHWA resource website at <http://safety.fhwa.dot.gov/speedmgt/>

Evaluation of Criteria for Setting Advisory Speed on Curves, Mashrur A. Chowdhury, Davey L. Warren, Howard Bissell, & Sunil Taori, Transportation Research Board Paper No. 980133, January 11-15, 1998, 21 pp.

Factors Affecting Speed Variance and Its Influence on Accidents, Nicholas J. Garber & Ravi Gadiraju, Transportation Research Record 1213, Transportation Research Board, 1998, 10 pp.

A Policy on Geometric Design of Highways and Streets, AASHTO, 2004, pp 66-72.

Spot Speed Studies, Ch.3 of Manual of Transportation Engineering Studies, Institute of Transportation Engineers, H. Douglas Robertson, Ed., 2000, pp 33-51.

Revised 12/2009 © Wisconsin Transportation Information Center (TIC). **Wisconsin Transportation Bulletin** is a series of fact sheets with information for local town, municipal and county officials on street and highway design, construction, maintenance, and management. WTB fact sheets are produced and distributed by the Wisconsin Transportation Information Center LTAP, a project of the University of Wisconsin-Madison, Department of Engineering Professional Development, funded by the Federal Highway Administration and the Wisconsin Department of Transportation. UW-Madison provides equal opportunities in employment and programming, including Title IX requirements.



Download at <http://tic.engr.wisc.edu>. Limited print copies available free from the Wisconsin Transportation Information Center, UW-Madison, Department of Engineering Professional Development, 432 North Lake St, Madison, WI 53706-1498. TEL 800.442.4615 FAX 608.263.3160 E-MAIL tic@epd.engr.wisc.edu.

Counter 1**MetroCount Traffic Executive**
Class Speed Matrix**ClassMatrix-82 -- English (ENU)****Datasets:**

Site: [Green Bay Road] 35MPH - Curve Ahead Sign East Side of Road - N of Subdivision
Attribute: 35MPH
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 0
Survey Duration: 10:48 Thursday, September 23, 2021 => 13:23 Friday, October 08, 2021,
Zone:
File: Green Bay Road 0 2021-10-08 1323.EC0 (Plus)
Identifier: DJ07CD2H MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v4.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Friday, September 24, 2021 => 0:00 Friday, October 08, 2021 (14)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 6 - 99 mph.
Direction: North, East, South, West (bound), P = North
Separation: Headway > 0 sec, Span 0 - 328.084 ft
Name: Default Profile
Scheme: Vehicle classification (Scheme F3)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)
In profile: Vehicles = 39591 / 42360 (93.46%)

Class Speed Matrix

ClassMatrix-82

Site: Green Bay Road.0.1NS
Description: 35MPH - Curve Ahead Sign East Side of Road - N of Subdivision
Filter time: 0:00 Friday, September 24, 2021 => 0:00 Friday, October 08, 2021
Scheme: Vehicle classification (Scheme F3)
Filter: Cls(1 2 3 4 5 6 7 8 9 10 11 12 13) Dir(NESW) Sp(6,99) Headway(>0) Span(0 - 328.084)

Speed (mph)		Class														Speed Totals	
		CYCLE	PC	2A-4T	BUS	2A-6T	3A-SU	4A-SU	<5A DBL	5A DBL	>6A DBL	<6A MUL	6A MULT	>6A MUL			
		1	2	3	4	5	6	7	8	9	10	11	12	13			
6 - 12	6	.	.	.	.	.	.	.	.	.	.	.	.	6	0.0%		
12 - 19	45	18	2	.	.	1	2	.	.	.	.	.	.	68	0.2%		
19 - 25	33	94	17	1	.	4	1	.	.	.	.	.	1	151	0.4%		
25 - 31	33	1483	185	16	34	18	6	.	1	.	.	.	1	1777	4.5%		
31 - 37	117	11389	1801	145	368	26	34	1	5	.	.	.	.	13886	35.1%		
37 - 43	158	15378	2698	130	493	20	10	2	5	.	.	.	1	18895	47.7%		
43 - 50	52	3545	719	12	88	4	1	1	.	.	.	.	.	4422	11.2%		
50 - 56	9	269	47	2	9	.	.	.	.	.	.	.	.	336	0.8%		
56 - 62	2	32	2	.	1	.	.	.	.	.	.	.	.	37	0.1%		
62 - 68	.	9	.	.	.	1	.	.	.	.	.	.	.	10	0.0%		
68 - 75	1	1	.	.	.	.	.	.	.	.	.	.	.	2	0.0%		
75 - 81	.	1	.	.	.	.	.	.	.	.	.	.	.	1	0.0%		
81 - 87	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0.0%		
87 - 93	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0.0%		
93 - 99	.	.	.	.	.	.	.	.	.	.	.	.	.	0	0.0%		
Class Totals		456	32219	5471	306	993	74	54	4	11	0	0	0	3	39591		
		1.2%	81.4%	13.8%	0.8%	2.5%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

Counter 1

MetroCount Traffic Executive Speed Statistics by Hour

SpeedStatHour-81 -- English (ENU)

Datasets:

Site: [Green Bay Road] 35MPH - Curve Ahead Sign East Side of Road - N of
Subdivision
Attribute: 35MPH
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 0
Survey Duration: 10:48 Thursday, September 23, 2021 => 13:23 Friday, October 08, 2021,
Zone:
File: Green Bay Road 0 2021-10-08 1323.EC0 (Plus)
Identifier: DJ07CD2H MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v4.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Friday, September 24, 2021 => 0:00 Friday, October 08, 2021 (14)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 6 - 99 mph.
Direction: North, East, South, West (bound), P = North
Separation: Headway > 0 sec, Span 0 - 328.084 ft
Name: Default Profile
Scheme: Vehicle classification (Scheme F3)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)
In profile: Vehicles = 39591 / 42360 (93.46%)

Speed Statistics by Hour

SpeedStatHour-81

Site: Green Bay Road.0.1NS
Description: 35MPH - Curve Ahead Sign East Side of Road - N of Subdivision
Filter time: 0:00 Friday, September 24, 2021 => 0:00 Friday, October 08, 2021
Scheme: Vehicle classification (Scheme F3)
Filter: Cls(1 2 3 4 5 6 7 8 9 10 11 12 13) Dir(NESW) Sp(6,99) Headway(>0) Span(0 - 328.084)

Vehicles = 39591

Posted speed limit = 37 mph, Exceeding = 24737 (62.48%), Mean Exceeding = 41.09 mph

Maximum = 77.2 mph, Minimum = 10.6 mph, Mean = 38.4 mph

85% Speed = 42.7 mph, 95% Speed = 45.6 mph, Median = 38.3 mph

12 mph Pace = 32 - 44, Number in Pace = 33385 (84.32%)

Variance = 21.72, Standard Deviation = 4.66 mph

Hour Bins

Time	Bin		Min	Max	Mean	Median	85%	95%	>PSL 37 mph	
0000	109	0.3%	28.6	54.4	40.4	40.0	47.6	50.1	74	67.9%
0100	66	0.2%	23.1	49.1	37.7	37.1	42.7	46.5	39	59.1%
0200	34	0.1%	32.0	50.6	39.7	39.1	43.8	46.5	24	70.6%
0300	44	0.1%	32.5	47.6	38.3	37.8	41.8	45.0	27	61.4%
0400	147	0.4%	24.1	47.1	37.9	37.8	42.9	45.4	87	59.2%
0500	388	1.0%	16.8	55.2	37.6	37.1	41.8	45.6	203	52.3%
0600	1040	2.6%	17.3	51.0	36.9	36.7	41.4	43.8	509	48.9%
0700	2179	5.5%	17.0	64.6	38.6	38.5	42.5	45.2	1444	66.3%
0800	2467	6.2%	16.3	54.5	38.4	38.5	42.9	45.4	1572	63.7%
0900	2431	6.1%	10.9	59.6	38.6	38.5	43.2	45.9	1548	63.7%
1000	2446	6.2%	15.2	77.2	38.5	38.3	42.7	45.6	1551	63.4%
1100	2935	7.4%	11.2	65.8	38.4	38.3	42.7	45.9	1834	62.5%
1200	2928	7.4%	11.8	58.9	38.6	38.5	42.9	45.9	1900	64.9%
1300	2693	6.8%	10.7	63.9	38.7	38.5	42.9	45.9	1771	65.8%
1400	3188	8.1%	13.1	74.4	38.6	38.5	42.9	46.1	2012	63.1%
1500	3432	8.7%	12.2	62.3	38.7	38.5	43.2	45.9	2247	65.5%
1600	3644	9.2%	10.6	64.8	38.7	38.7	42.9	45.6	2378	65.3%
1700	3525	8.9%	13.7	64.2	38.3	38.3	42.7	45.4	2206	62.6%
1800	2364	6.0%	15.8	58.3	37.6	37.6	42.1	44.7	1306	55.2%
1900	1451	3.7%	23.3	59.1	37.7	37.6	42.1	45.2	807	55.6%
2000	891	2.3%	22.8	53.5	38.0	38.0	42.5	45.6	528	59.3%
2100	575	1.5%	22.9	64.5	37.8	37.6	42.5	45.9	326	56.7%
2200	380	1.0%	20.9	57.7	37.8	38.3	43.6	47.2	218	57.4%
2300	234	0.6%	18.9	55.6	37.9	37.6	44.1	46.5	126	53.8%
----	39591	100.0%	10.6	77.2	38.4	38.3	42.7	45.6	24737	62.5%

Counter 2

MetroCount Traffic Executive Class Speed Matrix

ClassMatrix-78 -- English (ENU)

Datasets:

Site: [Green Bay Road] 25MPH Sign West Side of Road
Attribute: N of Theinsville
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 0
Survey Duration: 10:06 Thursday, September 23, 2021 => 13:19 Friday, October 08, 2021,
Zone:
File: Green Bay Road 0 2021-10-08 1320.EC0 (Regular)
Identifier: E962A3GE MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v4.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Friday, September 24, 2021 => 0:00 Friday, October 08, 2021 (14)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 6 - 99 mph.
Direction: North, East, South, West (bound), P = North
Separation: Headway > 0 sec, Span 0 - 328.084 ft
Name: Default Profile
Scheme: Vehicle classification (Scheme F3)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)
In profile: Vehicles = 39728 / 42732 (92.97%)

Class Speed Matrix

ClassMatrix-78

Site: Green Bay Road.0.1NS
Description: 25MPH Sign West Side of Road
Filter time: 0:00 Friday, September 24, 2021 => 0:00 Friday, October 08, 2021
Scheme: Vehicle classification (Scheme F3)
Filter: Cls(1 2 3 4 5 6 7 8 9 10 11 12 13) Dir(NESW) Sp(6,99) Headway(>0) Span(0 - 328.084)

Speed (mph)	Class															Speed Totals	
	CYCLE 1	PC 2	2A-4T 3	BUS 4	2A-6T 5	3A-SU 6	4A-SU 7	<5A DBL 8	5A DBL 9	>6A DBL 10	<6A MUL 11	6A MULT 12	>6A MUL 13				
6 - 12	12	109	11	.	2	3	4	.	.	.	.	.	1			142	0.4%
12 - 19	59	553	92	7	8	11	25	.	.	.	.	.	.			755	1.9%
19 - 25	68	3020	430	32	46	26	18	.	1	.	.	.	1			3642	9.2%
25 - 31	146	13696	2208	88	242	10	38	1	3	.	.	.	.			16432	41.4%
31 - 37	121	10765	2510	97	351	8	19	3	3	.	.	.	1			13878	34.9%
37 - 43	41	3248	891	32	128	1	1	1	.	.	.	.	.			4343	10.9%
43 - 50	6	373	85	2	14	.	.	.	.	.	.	.	.			480	1.2%
50 - 56	3	35	5	.	3	.	1	.	.	.	.	.	.			47	0.1%
56 - 62	1	3	1	.	.	.	.	.	.	.	.	.	.			5	0.0%
62 - 68	1	2	.	.	.	.	1	.	.	.	.	.	.			4	0.0%
68 - 75	.	.	.	.	.	.	.	.	.	.	.	.	.			0	0.0%
75 - 81	.	.	.	.	.	.	.	.	.	.	.	.	.			0	0.0%
81 - 87	.	.	.	.	.	.	.	.	.	.	.	.	.			0	0.0%
87 - 93	.	.	.	.	.	.	.	.	.	.	.	.	.			0	0.0%
93 - 99	.	.	.	.	.	.	.	.	.	.	.	.	.			0	0.0%
Class Totals	458	31804	6233	258	794	59	107	5	7	0	0	0	3			39728	
	1.2%	80.1%	15.7%	0.6%	2.0%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%				

Counter 2

MetroCount Traffic Executive Vehicle Counts

VehicleCount-77 -- English (ENU)

Datasets:

Site: [Green Bay Road] 25MPH Sign West Side of Road
Attribute: N of Theinsville
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 0
Survey Duration: 10:06 Thursday, September 23, 2021 => 13:19 Friday, October 08, 2021,
Zone:
File: Green Bay Road 0 2021-10-08 1320.EC0 (Regular)
Identifier: E962A3GE MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v4.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 0:00 Friday, September 24, 2021 => 0:00 Friday, October 08, 2021 (14)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
Speed range: 6 - 99 mph.
Direction: North, East, South, West (bound), P = North
Separation: Headway > 0 sec, Span 0 - 328.084 ft
Name: Default Profile
Scheme: Vehicle classification (Scheme F3)
Units: Non metric (ft, mi, ft/s, mph, lb, ton)
In profile: Vehicles = 39728 / 42732 (92.97%)

*** Friday, September 24, 2021 - Total=3232, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
4	7	2	3	10	49	93	184	203	199	186	205	230	214	253	263	327	278	198	120	68	59	40	37	
2	4	1	0	1	8	13	32	46	49	52	51	49	59	53	69	78	85	51	49	18	15	6	12	4
2	0	0	0	1	9	18	50	43	37	36	43	53	53	64	67	101	63	54	26	19	24	11	11	5
0	2	1	1	4	15	28	51	55	58	50	53	56	52	67	59	84	79	49	28	14	15	11	6	1
0	1	0	2	4	17	34	51	59	55	48	58	72	50	69	68	64	51	44	17	17	5	12	8	3

AM Peak 1145 - 1245 (216), AM PHF=0.93 PM Peak 1615 - 1715 (334), PM PHF=0.83

*** Saturday, September 25, 2021 - Total=2220, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
13	8	4	2	6	12	31	65	110	161	195	202	180	154	176	185	154	159	129	86	66	53	43	26	
4	4	1	2	1	4	3	11	18	30	40	55	48	37	43	51	51	49	42	30	23	12	7	5	6
5	2	1	0	2	1	6	15	19	41	50	43	51	46	48	47	31	48	31	14	13	14	12	9	6
1	1	0	0	2	4	8	19	30	39	43	53	48	36	33	45	31	33	32	23	13	13	15	7	5
3	1	2	0	1	3	14	20	43	51	62	51	33	35	52	42	41	29	24	19	17	14	9	5	2

AM Peak 1045 - 1145 (213), AM PHF=0.86 PM Peak 1445 - 1545 (195), PM PHF=0.94

*** Sunday, September 26, 2021 - Total=1939, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
19	12	4	1	1	3	15	43	89	129	151	184	169	186	180	147	165	152	129	69	41	22	14	14	
6	1	0	1	0	0	2	3	18	37	38	56	49	41	46	38	42	43	36	20	13	8	4	6	2
6	4	0	0	0	0	2	11	13	22	35	34	41	51	43	35	43	31	46	22	11	3	2	1	2
5	6	2	0	0	2	7	17	29	27	46	46	35	51	45	29	41	44	30	13	7	5	5	4	1
2	1	2	0	1	1	4	12	29	43	32	48	44	43	46	45	39	34	17	14	10	6	3	3	0

AM Peak 1100 - 1200 (184), AM PHF=0.82 PM Peak 1315 - 1415 (191), PM PHF=0.94

*** Monday, September 27, 2021 - Total=3038, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
5	1	1	1	10	34	92	188	204	173	163	191	227	198	259	254	291	272	195	129	78	42	22	8	
2	1	1	0	1	4	14	38	51	43	42	46	58	43	53	59	85	75	54	31	17	15	7	2	1
2	0	0	0	2	7	11	44	51	35	36	53	52	56	58	67	82	78	52	29	20	11	5	1	1
1	0	0	1	2	8	37	54	44	39	41	42	53	46	66	70	60	50	48	32	19	13	6	3	1
0	0	0	0	5	15	30	52	58	56	44	50	64	53	82	58	64	69	41	37	22	3	4	2	3

AM Peak 1145 - 1245 (213), AM PHF=0.92 PM Peak 1530 - 1630 (295), PM PHF=0.87

*** Tuesday, September 28, 2021 - Total=3251, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
6	4	2	4	13	31	95	229	210	213	186	247	228	173	242	297	318	294	189	127	78	38	14	13	
1	3	0	0	0	6	14	41	49	39	43	66	51	50	54	70	72	73	53	41	28	14	6	4	5
1	0	1	1	3	6	22	53	48	54	38	55	58	31	56	74	87	65	53	34	27	5	5	4	0
1	1	0	1	4	6	26	72	44	61	42	64	51	44	72	70	78	73	48	29	11	11	2	1	1
3	0	1	2	6	13	33	63	69	59	63	62	68	48	60	83	81	83	35	23	12	8	1	4	0

AM Peak 1045 - 1145 (248), AM PHF=0.94 PM Peak 1545 - 1645 (320), PM PHF=0.92

*** Wednesday, September 29, 2021 - Total=3323, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
6	3	2	4	12	43	99	201	230	181	168	214	230	215	272	310	316	338	199	132	70	44	18	16	
5	0	0	1	0	6	11	36	42	45	39	55	51	52	63	84	76	89	65	29	19	19	5	4	5
0	1	0	1	2	6	23	43	58	39	40	51	45	49	71	86	98	101	50	35	25	6	4	7	0
1	2	2	2	6	11	37	64	49	48	44	50	62	45	64	78	61	69	39	39	11	6	4	3	1
0	0	0	0	4	20	28	58	81	49	45	58	72	69	74	62	81	79	45	29	15	13	5	2	2

AM Peak 0815 - 0915 (233), AM PHF=0.72 PM Peak 1645 - 1745 (340), PM PHF=0.84

*** Thursday, September 30, 2021 - Total=3099, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
8	3	3	5	15	31	86	208	195	187	162	212	232	198	244	252	283	297	201	131	62	45	26	13	
5	1	1	2	2	4	11	41	46	47	40	41	57	58	53	62	72	63	66	30	29	17	8	6	1
0	0	0	1	2	5	14	40	37	38	40	52	54	49	61	56	76	97	44	40	10	10	8	5	3
1	2	1	2	2	6	29	63	44	52	37	65	58	52	64	64	62	72	55	32	12	10	5	1	3
2	0	1	0	9	16	32	64	68	50	45	54	63	39	66	70	73	65	36	29	11	8	5	1	0

AM Peak 1130 - 1230 (230), AM PHF=0.88 PM Peak 1645 - 1745 (305), PM PHF=0.79

*** Friday, October 01, 2021 - Total=3152, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
7	5	2	3	11	31	98	198	202	199	192	244	222	213	227	255	298	267	176	101	65	55	52	29	
1	2	0	1	2	5	18	39	43	51	46	69	52	51	55	55	90	76	45	29	22	16	17	11	5
3	0	0	0	1	5	20	43	50	36	40	55	53	58	50	72	73	72	41	31	18	16	14	5	3
3	2	1	0	2	10	30	56	51	43	61	46	50	56	61	80	60	45	21	12	17	8	7	3	
0	1	1	2	6	11	30	60	58	61	63	59	71	54	66	67	55	59	45	20	13	6	13	6	0

AM Peak 1045 - 1145 (248), AM PHF=0.90 PM Peak 1545 - 1645 (310), PM PHF=0.86

*** Saturday, October 02, 2021 - Total=2350, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
11	7	4	4	8	9	29	61	108	160	205	211	226	186	196	205	180	155	138	86	56	45	36	24	
5	3	2	2	1	1	3	13	21	26	40	50	52	50	47	57	46	38	27	28	18	16	9	9	5
3	2	0	2	0	0	9	12	18	38	56	47	60	48	53	50	45	45	39	22	14	8	11	4	2
3	2	0	0	4	3	6	19	34	61	52	57	58	46	56	51	37	30	41	19	9	9	7	5	1
0	0	2	0	3	5	11	17	35	35	57	57	56	42	40	47	52	42	31	17	15	12	9	6	3

AM Peak 1145 - 1245 (227), AM PHF=0.95 PM Peak 1200 - 1300 (226), PM PHF=0.94

*** Sunday, October 03, 2021 - Total=1741, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
11	4	6	3	1	4	23	35	71	106	132	169	150	190	191	164	139	108	84	52	29	30	23	16	
5	1	2	0	0	0	1	3	14	28	32	37	35	47	43	32	51	33	23	16	10	9	6	6	2
2	1	2	0	1	0	5	10	15	30	38	43	39	44	45	49	38	29	22	16	11	5	7	6	2
1	0	0	1	0	2	6	13	17	23	35	48	39	55	43	38	26	21	19	11	4	7	5	1	0
3	2	2	2	0	2	11	9	25	25	27	41	37	44	60	45	24	25	20	9	4	9	5	3	0

AM Peak 1100 - 1200 (169), AM PHF=0.88 PM Peak 1400 - 1500 (191), PM PHF=0.80

*** Monday, October 04, 2021 - Total=2880, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
4	2	0	0	14	33	90	186	202	157	161	210	192	187	221	272	282	252	193	96	54	44	21	7	
2	1	0	0	2	5	12	40	36	48	31	66	43	52	56	72	66	61	53	34	12	11	6	2	3
2	1	0	0	1	8	18	34	42	27	34	44	54	44	48	63	67	65	49	22	13	15	9	1	2
0	0	0	0	4	9	32	55	53	35	48	47	54	37	51	79	80	70	52	17	19	12	2	2	0
0	0	0	0	7	11	28	57	71	47	48	53	41	54	66	58	69	56	39	23	10	6	4	2	0

AM Peak 0815 - 0915 (214), AM PHF=0.75 PM Peak 1600 - 1700 (282), PM PHF=0.88

*** Tuesday, October 05, 2021 - Total=3302, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
5	5	3	3	17	33	109	213	191	203	231	220	240	209	264	298	323	322	177	92	73	39	23	9	
3	1	0	0	1	6	16	33	39	40	65	48	63	57	59	53	83	86	56	27	20	12	4	3	1
2	0	2	1	3	6	23	49	43	35	46	54	60	52	55	85	78	79	57	31	18	11	10	2	3
0	4	0	0	6	9	35	67	43	67	55	61	53	47	63	72	101	87	35	18	15	9	4	3	2
0	0	1	2	7	12	35	64	66	61	65	57	64	53	87	88	61	70	29	16	20	7	5	1	0

AM Peak 1130 - 1230 (241), AM PHF=0.96 PM Peak 1545 - 1645 (350), PM PHF=0.87

*** Wednesday, October 06, 2021 - Total=3195, 15 minute drops**

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--

6	3	1	5	12	36	103	190	207	191	153	242	213	228	248	287	283	301	203	126	87	37	23	10	
1	0	0	0	2	6	15	41	47	49	38	56	53	57	53	76	77	71	74	29	30	11	5	6	0
3	0	0	1	2	5	22	37	51	38	39	63	46	58	58	69	80	76	46	36	28	13	8	1	1
2	1	1	3	3	7	29	62	47	45	36	67	47	49	59	74	69	78	41	34	10	5	5	2	2
0	2	0	1	5	18	37	50	62	59	40	56	67	64	78	68	57	76	42	27	19	8	5	1	1

AM Peak 1100 - 1200 (242), AM PHF=0.90 PM Peak 1715 - 1815 (304), PM PHF=0.97

* Thursday, October 07, 2021 - Total=3006, 15 minute drops

0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	
4	2	0	3	17	34	93	213	203	161	160	194	215	184	241	261	297	293	159	111	83	37	26	15	
0	1	0	1	3	7	8	51	39	36	42	57	53	45	59	83	69	63	53	35	27	13	11	5	-
1	0	0	1	2	3	17	37	42	27	30	42	52	51	51	63	74	83	32	38	25	7	6	5	-
2	0	0	1	5	7	32	63	45	51	45	47	55	42	62	63	75	72	38	26	12	7	5	3	-
1	1	0	0	7	17	36	62	77	47	43	48	55	46	69	52	79	75	36	12	19	10	4	2	-

AM Peak 0700 - 0800 (213), AM PHF=0.85

Counter 2

Bin min speed (mph)	Bin max speed (mph)	Average bin speed (mph)	Vehicles in bin	Weighted veh-speed (veh*mph)
6	12	9.0	142	1278
12	19	15.5	755	11702.5
19	25	22.0	3642	80124
25	31	28.0	16432	460096
31	37	34.0	13878	471852
37	43	40.0	4343	173720
43	50	46.5	480	22320
50	56	53.0	47	2491
56	62	59.0	5	295
62	68	65.0	4	260

Totals 39728 1224138.5

Mean veh-speed 122413.85

Mean speed: 30.8 mph

85th percentile veh-speed: 301780.1651

85th percentile interpolated speed: 37.4 mph

